



February 3, 2026

Mr. Jason Bing, RA, LEED AP
Director, Capital Programs
Ann Arbor Public Schools
2555 South State Street
Ann Arbor, MI 48104
BingJ@aaps.k12.mi.us

RE: AEG Project #AE260102
Radon Sampling Services, Post Mitigation
Ann Arbor Public Schools, Thurston Elementary School

Dear Mr. Bing:

Pursuant to the request of Ann Arbor Public Schools, Arch Environmental Group, Inc. (AEG) conducted short-term radon sampling in one location in Thurston Elementary School. The sampling was conducted following the installation of radon mitigation system in Room 1A in late December 2025. The detectors were placed in the facility on January 19, 2026 and were retrieved on January 22, 2026. Samples were analyzed by Air Chek, Inc. located in Mills River, North Carolina.

I. Introduction

The U.S. Environmental Protection Agency (EPA) and other major national and international scientific organizations have concluded that radon is a human carcinogen and a serious environmental health problem. Radon is a naturally occurring radioactive gas. It comes from the natural breakdown (decay) of uranium which is found in soil and rock all over the United States. Radon travels through soil and enters buildings through cracks and other holes in the foundation. Eventually it decays into radioactive particles (decay products) that can become trapped in your lungs when you breathe. As these particles in turn decay, they release small bursts of radiation. The radiation can damage lung tissue and lead to lung cancer over the course of your lifetime. Radon is colorless, odorless, and tasteless. The only way to know whether or not elevated levels of radon are present in a location is to test.

There are two ways to test for radon:

1. A **short-term test** is the quickest test for radon. In this test the device remains in the room for a period of **2 to 90 days** depending on the device.
2. A **long-term test** remains in place for more than 90 days.

The EPA recommends that action should be taken when radon levels are found to be 4pCi/L (Pico Curies per Liter of air) or higher.

II. Sampling Analysis & Strategies

Sampling was conducted in Room 1A in Thurston Elementary School from October 6-8, 2025. One sample location, Room 1A identified a radon concentration above the EPA "action level" of 4.0 pCi/L. Prudent practice suggests that

when an initial short-term test identifies radon concentrations above the action level, an additional should be completed as a means of confirming the results of the initial test. As a result, AEG conducted supplemental testing from October 16-22, 2025. The second testing confirmed the initial testing also identifying radon levels above the action level. As a corrective measure, a radon mitigation system was installed in Room 1A in late December 2025.

The EPA recommends an additional short-term test within 30 days following the installation of a radon mitigation system. This testing was completed from January 19-22, 2026.

Activated charcoal adsorption devices (ACs) are a passive detector system for the measurement of radon concentrations in the air. Once the detector is opened, radon gas diffuses passively onto the activated charcoal and radon concentration is determined. ACs are passive devices. The charcoal within these devices has been treated to increase its ability to adsorb gases. The passive nature of the activated charcoal allows continual adsorption and desorption of radon. During the entire measurement period (typically two to seven days), the adsorbed radon undergoes radioactive decay. AEG deposited the AC detectors on January 19, 2026. The detectors were placed between knee and shoulder height on a flat or hanging surface. Additionally, the detectors were placed at least 1 foot from exterior walls, 3 feet from windows or doors, away from direct sunlight and away from heat vents. After a designated time, the samples were retrieved on January 22, 2026; the AC detectors were closed and collected for laboratory analysis. One duplicate sample and one blank sample necessary for quality assurance purposes were also collected at the facility.

As the sample results shown in *Attachment A* indicate, both sample collected in Room 1A identified radon concentrations below the EPA recommended "action level" of 4.0 pCi/L with sample results reported as <0.3 pCi/L.

III. Conclusions

In accordance with accepted sampling protocols, AEG recommends testing every two years to confirm the radon mitigation system continues to function properly. In addition, the EPA suggests additional testing in the future, especially after significant changes to the building structure or the HVAC system.

If you have any question regarding this information or work conducted by Arch Environmental Group, Inc., please feel free to contact me at (248) 426-0165 [office] or (248) 252-3618 [mobile].

Sincerely,

HealthAIR
A Division of arch environmental group



Philip E. Grosse
Project Consultant III
NRPP Radon Measurement Professional
ID Number: #107327-RMP



Attachment A
Official Laboratory Results

January 29, 2026

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**AAPS
THURSTON ES**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
12293927	BLANK	2026-01-19 @ 2:00 pm	2026-01-22 @ 5:00 pm	< 0.3	2026-01-29
12293925	ROOM 1A	2026-01-19 @ 2:00 pm	2026-01-22 @ 5:00 pm	< 0.3	2026-01-29
12293926	ROOM 1A DUP	2026-01-19 @ 2:00 pm	2026-01-22 @ 5:00 pm	< 0.3	2026-01-29

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Kit Number	Start Date	Start Time	End Date	End Time	Temperature	Facility	Building	Room	Project ID
12293925	2026-01-14	2:00 pm	2026-01-21	5:00 pm	70	AAPS	THURSTON	ROOM 1A	AE260102
12293926	2026-01-14	2:00 pm	2026-01-21	5:00 pm	70	AAPS	THURSTON	ROOM 1A	AE260102
12293927	2026-01-14	2:00 pm	2026-01-21	5:00 pm	70	AAPS	THURSTON	BLANK	AE260102

Floor	Result	Variance	Analysis N	Analysis D	%Moisture	Street	City	State	ZIP
1	< 0.3	0.6		2026-01-24	1.3				
1	< 0.3	0.6		2026-01-24	0.4				
3	< 0.3	0.6		2026-01-24	2.1				



Philip E. Grosse
Radon Measurement Professional
ID Number: #107327-RMP
Valid 2025-12-30 - 2027-12-31
Scan the QR Code on the back to verify this information

